



Report N°: 1812070612





Page N°: 1/ 5

Đơn hàng: FDL18/12534

Ho Chi Minh City, Date: December 07, 2018 TP. Hồ Chí Minh, Ngày 07/12/2018

REF. NO.: FDL18/12534

ANALYSIS REPORT BÁO CÁO PHÂN TÍCH

CLIENT'S NAME Tên khách hàng

: CÔNG TY CÓ PHẦN ĐƯỜNG BIÊN HÒA - PHAN RANG

CLIENT'S ADDRESS: 160 BÁC ÁI, PHƯỜNG ĐỐ VINH, TP. PHAN RANG - THÁP CHÀM,

TÌNH NINH THUẬN Địa chỉ

The following sample(s) was/were submitted and identified by the client as:

Mẫu thử nghiệm được cung cấp và nhân dạng bởi khách hàng:

Sample description

Mô tả mẫu

Number of sample Số lượng mẫu

Sample characterisation/ condition

Tình trạng mẫu

Client's reference Chú thích của khách hàng

Date sample(s) received

Ngày nhận mẫu

Testing period Thời gian thử nghiệm

Test requested Yêu cầu thử nghiệm

Test result Kết quả kiểm nghiệm : SUGAR

: Đường

01 sample 01 mẫu

Sample (approx. 500g) in plastic bag Mẫu (khoảng 500g) chứa trong túi nhựa

ĐƯỜNG KÍNH TRẮNG

: November 30, 2018

: 30/11/2018

: November 30 - December 07, 2018

: 30/11/2018 - 07/12/2018

: As applicant's requirement : Theo yêu cầu của khách hàng

: Please refer to the next page(s)

: Vui lòng tham khảo trang sau

SGS Vietnam Ltd.

198 Nguyen Thi Minh Khai St., Ward 6, Dist.3, Ho Chi Minh City, Vietnam HCM Laboratory: Lot III/21, St. 19/5A, Group CN III, Tan Binh IZ, Tay Thanh Ward, Tan Phu Dist., Ho Chi Minh City, Vietnam Can Tho Laboratory: Korea – VN Incubator Park in Can Tho, 8th St., Tra Noc 2 IZ, Phuoc Thoi Ward, O Mon Dist., Can Tho City, Vietnam (84-28) 3935 1920 f(84-28) 3935 1921 www.sgs.vn

This document is issued by the Company subject to its General Conditions of Service (www.sgs.com/en/Terms-and-Conditions.aspx). Attention is drawn to the limitations of liability.

indemnification and jurisdictional issues established therein.

This document is to be treated as an original within the meaning of UCP 600. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, The authenticity of this document may be verified at https://sgsonsite.sgs.com/en/v2/common/ecertificate/authenticatee/Certificate.jsp.







Page N°: 2/5

Report N°: 1812070612

DETAIL TEST RESULT(S) KÉT QUẢ KIÉM NGHIỆM

	Testing Analysis Chỉ tiêu phân tích	Method Phương pháp	Result Kết quả	Unit Đơn vị
1.	Aldicarb Aldicarb	PrEN 15662:2017	Not detected Không phát hiện LOD = 0.007	mg/kg
2.	Aldicarb sulfone Aldicarb sulfone		Not detected Không phát hiện LOD = 0.002	mg/kg
3.	Aldicarb sulfoxide Aldicarb sulfoxide		Not detected Không phát hiện LOD = 0.003	mg/kg
4.	Aldicarb (sum of aldicarb and its sulfoxide, sulfone expressed as aldicarb) Aldicarb (tổng của aldicarb, aldicarb sulfoxide và aldicarb sulfone quy về aldicarb)		Not detected Không phát hiện	mg/kg
5.	Azinphos-methyl Azinphos-methyl		Not detected Không phát hiện LOD = 0.007	mg/kg
6.	Carbofuran Carbofuran		Not detected Không phát hiện LOD = 0.002	mg/kg
7.	Carbofuran-3-OH Carbofuran-3-OH		Not detected Không phát hiện LOD = 0.002	mg/kg
8.	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) Carbofuran (tổng của carbofuran (bao gồm carbofuran được sinh ra từ carbosulfan, benfuracarb hoặc furathiocarb) và carbofuran-3-OH quy về carbofuran)		Not detected Không phát hiện	mg/kg
9.	Chlorantraniliprole Chlorantraniliprole		Not detected Không phát hiện LOD = 0.005	mg/kg

SGS Vietnam Ltd.

198 Nguyen Thi Minh Khai St., Ward 6, Dist.3, Ho Chi Minh City, Vietnam HCM Laboratory. Lot III/21, St. 19/5A, Group CN III, Tan Binh IZ, Tay Thanh Ward, Tan Phu Dist., Ho Chi Minh City, Vietnam Can Tho Laboratory. Korea – VN Incubator Park in Can Tho, 8th St., Tra Noc 2 IZ, Phuoc Thoi Ward, O Mon Dist., Can Tho City, Vietnam (84-28) 3935 1920 f(84-28) 3935 1921 www.sgs.vn

This document is issued by the Company subject to its General Conditions of Service (www.sgs.com/en/Terms-and-Conditions.aspx). Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein.

This document is to be treated as an original within the meaning of UCP 600. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The authenticity of this document may be verified at https://sgsonsite.sgs.com/en/v2/common/ecertificate/authenticateeCertificate.jsp.





Page N°: 3/5

Report N°: 1812070612

Testing Analysis Chỉ tiêu phân tích	Method Phương pháp	Result Kết quả	Unit Đơn vị
10. Clothianidin Clothianidin		Not detected Không phát hiện LOD = 0.003	mg/kg
11. Cyhalothrin-lambda + Cyhalothrin- gamma (sum) Cyhalothrin-lambda + Cyhalothrin-gamma (tổng)		Not detected Không phát hiện LOD = 0.003	mg/kg
12. Cypermethrine (sum of isomers) Cypermethrine (tổng các đồng phân)		Not detected Không phát hiện LOD = 0.003	mg/kg
13. Ethoprophos Ethoprophos	PrEN 15662:2017	Not detected Không phát hiện LOD = 0.007	mg/kg
14. Isoxaflutole Isoxaflutole		Not detected Không phát hiện LOD = 0.01	mg/kg
15. Mesotrione Mesotrione		Not detected Không phát hiện LOD = 0.007	mg/kg
16. Novaluron Novaluron		Not detected Không phát hiện LOD = 0.007	mg/kg
17. Propiconazole Propiconazole		Not detected Không phát hiện LOD = 0.007	mg/kg
18. Tebufenozide Tebufenozide		Not detected Không phát hiện LOD = 0.01	mg/kg
19. 2,4-D (sum of 2,4-D, its salts, its esters and its conjugates, expressed as 2,4-D) 2,4-D (tổng của 2,4-D, bao gồm muối, ester và các dạng liên kết của nó, quy về 2,4-D)	BS EN 15662:2018,	Not detected Không phát hiện LOD = 0.01	mg/kg
20. Dicamba Dicamba	mod ⁽¹⁾	Not detected Không phát hiện LOD = 0.01	mg/kg

SGS Vietnam Ltd.

198 Nguyen Thi Minh Khai St., Ward 6, Dist.3, Ho Chi Minh City, Vietnam HCM Laboratory. Lot III/21, St. 19/5A, Group CN III, Tan Binh IZ, Tay Thanh Ward, Tan Phu Dist., Ho Chi Minh City, Vietnam Can Tho Laboratory: Korea – VN Incubator Park in Can Tho, 8th St., Tra Noc 2 IZ, Phuoc Thoi Ward, O Mon Dist., Can Tho City, Vietnam (84-28) 3935 1920 f(84-28) 3935 1921 www.sgs.vn

This document is issued by the Company subject to its General Conditions of Service (rearrange-conditions.aspx). Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein. This document is to be treated as an original within the meaning of UCP 600. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The authenticity of this document may be verified at https://sgsonsite.sgs.com/en/v2/common/ecertificate/authenticateeCertificate.jsp.





Page N°: 4/5

Report N°: 1812070612

Testing Analysis Chỉ tiêu phân tích	Method Phương pháp	Result Kết quả	Unit Đơn vị
21. Imazapic		Not detected Không phát hiện LOD = 0.01	mg/kg
22. Trinexapac (sum of trinexapac (acid), its salts and its esters Trinexapac ethyl, expressed as trinexapac) Trinexapac (tổng của trinexapac (axit), dạng muối và ester của nó, quy về trinexapac)	BS EN 15662:2018, mod ⁽¹⁾	Not detected Không phát hiện LOD = 0.01	mg/kg
23. Glyphosate Glyphosate	J. AOAC Int. 100 (2017) 631-639 (1)	Not detected Không phát hiện LOD = 0.02	mg/kg

Note/Ghi chú:

- LOD = Limit of Detection/ Giới hạn phát hiện
- The method is not currently within the ISO 17025 accreditation scope/Phuong pháp chưa thuộc phạm vi công nhận ISO 17025

SGS Vietnam Ltd.

198 Nguyen Thi Minh Khai St., Ward 6, Dist.3, Ho Chi Minh City, Vietnam HCM Laboratory: Lot III/21, St. 19/5A, Group CN III, Tan Binh IZ, Tay Thanh Ward, Tan Phu Dist., Ho Chi Minh City, Vietnam Can Tho Laboratory: Korea – VN Incubator Park in Can Tho, 8th St., Tra Noc 2 IZ, Phuoc Thoi Ward, O Mon Dist., Can Tho City, Vietnam (84-28) 3935 1920 f(84-28) 3935 1921 www.sgs.vn

This document is issued by the Company subject to its General Conditions of Service (www.sgs.com/en/Terms-and-Conditions.aspx). Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein.

This document is to be treated as an original within the meaning of UCP 600. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The authenticity of this document may be verified at https://sgsonsite.sgs.com/en/v2/common/ecertificate/authenticateeCertificate.jsp.

Page N°: 5/ 5

Report N°: 1812070612

PHOTO APPENDIXIPHU LUC HÌNH ẢNH



REPORT RESULTS REFER TO SUBMITTED SAMPLE (S) ONLY AND SUCH SAMPLE(S) ARE RETAINED FOR 30 DAYS ONLY IF THERE ARE NO OTHER SPECIFIC STATEME Kết quả phân tích chỉ có giá trị trên mẫu đã nhận tại phòng thí nghiệm và mẫu được lưu trữ trong vòng 30 ngày n không có thông báo đặc biệt khác

END OF THE REPORT

Signed for and on behalf of SGS Vietnam LTD 011111 Mặt Công ty SGS Việt Nam lâm Văn Xư

> Lâm Văn Xự Trưởng Phòng Thứ Nghiệm Thực Phẩm

SGS Vietnam Ltd.

198 Nguyen Thi Minh Khai St., Ward 6, Dist.3, Ho Chi Minh City, Vietnam HCM Laboratory: Lot IIII/21, St. 19/5A, Group CN III, Tan Binh IZ, Tay Thanh Ward, Tan Phu Dist., Ho Chi Minh City, Vietnam Can Tho Laboratory: Korea – VN Incubator Park in Can Tho, 8th St., Tra Noc 2 IZ, Phuoc Thoi Ward, O Non Dist., Can Tho City, Vietnam (84-28) 3935 1920 f(84-28) 3935 1921 www.sgs.vn

This document is issued by the Company subject to its General Conditions of Service (www.sgs.com/en/Terms-and-Conditions.aspx). Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein.

This document is to be treated as an original within the meaning of UCP 600. Any holder of this document is advised that information contained hereon reflects the Company's findings hat the time of its intervention only and within the limits of clent's instructions, if any, The Company's sole responsibility is to its Chent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The authenticity of this document may be verified at https://sgsonsite.sgs.com/en/v2/common/ecertificate/authenticateeCertificate.jsp.